
















# Standard Masonry Sizes: 2", 3" and 4"

## SHAPES AND SIZES

<p><b>2 in.</b> Brick (Common)</p>  <p>150100 Concrete</p>	<p><b>2 in.</b> Solid/Soap</p>  <p>150135 Concrete</p>	<p><b>3 in.</b> Solid</p>  <p>150150 Concrete 150152 Lightweight</p>	<p><b>4 in.</b> Regular**</p>  <p>040000 Concrete 040200 Lightweight</p>
<p><b>4 in.</b> Two Qtr. / Half Block</p>  <p>040002 Concrete 040202 Lightweight</p>	<p><b>4 in.</b> Three Qtr.</p>  <p>040003 Concrete 040203 Lightweight (Alternate - 12" One Qtr.)</p>	<p><b>4 in.</b> 5 High (Starter)</p>  <p>040006 Concrete 040206 Lightweight</p>	<p><b>4 in.</b> Half High</p>  <p>040008 Concrete 040208 Lightweight</p>
<p><b>4 in.</b> L-Corner***</p>  <p>040010 Concrete 040210 Lightweight</p>	<p><b>4 in.</b> Solid</p>  <p>040054 Concrete 040254 Lightweight</p>	<p><b>4 in.</b> Single Bullnose*</p>  <p>044001 Concrete 044201 Lightweight</p>	<p><b>4 in.</b> Two Qtr. / Half Block Single Bullnose*</p>  <p>044006 Concrete 044206 Lightweight</p>
<p><b>4 in.</b> Double Bullnose* End</p>  <p>044010 Concrete 044210 Lightweight</p>	<p><b>4 in.</b> Double Bullnose* Face</p>  <p>044012 Concrete 044212 Lightweight</p>	<p><b>4 in.</b> Two Qtr. / Half Block Double Bullnose*</p>  <p>044016 Concrete 044216 Lightweight</p>	

*Note: Not all block immediately available at all County Materials locations.*

*\* All Bullnose have 1" radius.*
















*\*\* Full 8" high units available in select markets. Contact your sales representative.*

*\*\*\* Only available in solid units at some locations.*

*All dimensions nominal.*

# Standard Masonry Sizes: 6"

## SHAPES AND SIZES

















<p><b>6 in.</b> Regular**</p>  <p>060000 Concrete 060200 Lightweight</p>	<p><b>6 in.</b> Two Qtr. / Half Block</p>  <p>060002 Concrete 060202 Lightweight</p>	<p><b>6 in.</b> 5 High (Starter)</p>  <p>060006 Concrete 060206 Lightweight (May be available as a solid)</p>	<p><b>6 in.</b> Half High</p>  <p>060008 Concrete 060208 Lightweight (May be available as a solid)</p>
<p><b>6 in.</b> L-Corner</p>  <p>060010 Concrete 060210 Lightweight</p>	<p><b>6 in.</b> Bay Block (45° Corner)</p>  <p>060012 Concrete 060212 Lightweight</p>	<p><b>6 in.</b> Bond Beam</p>  <p>060015 Concrete 060215 Lightweight</p>	<p><b>6 in.</b> Utility Knockout</p>  <p>060020 Concrete 060220 Lightweight 060018 (Substitute for 6" Lintel)</p>
<p><b>6 in.</b> Solid</p>  <p>060054 Concrete 060254 Lightweight</p>	<p><b>6 in.</b> Single Bullnose*</p>  <p>064001 Concrete 064201 Lightweight</p>	<p><b>6 in.</b> Two Qtr. / Half Block Single Bullnose*</p>  <p>064006 Concrete 064206 Lightweight</p>	<p><b>6 in.</b> Double Bullnose* End</p>  <p>064010 Concrete 064210 Lightweight</p>
<p><b>6 in.</b> Double Bullnose* Face</p>  <p>064012 Concrete 064212 Lightweight</p>	<p><b>6 in.</b> Two Qtr. / Half Block Double Bullnose*</p>  <p>064016 Concrete 064216 Lightweight</p>	<p><b>6 in.</b> Knockout Bond Beam (Flow Through)</p>  <p>060017 Concrete</p>	

\* All Bullnose have 1" radius.

Note: Not all block immediately available at all County Materials locations.  
\*\* Full 8" high units available in select markets. Contact your sales representative.  
All dimensions nominal.

# Standard Masonry Sizes: 8"

## SHAPES AND SIZES










<p><b>8 in.</b> Regular/Stretcher**</p>  <p>080000 Concrete 080000A 1" Web (2 Hr.) 080000M Med.weight (2 Hr.) 080200 Lightweight (2 Hr.)</p>	<p><b>8 in.</b> One Quarter</p>  <p>080001 Concrete 080201 Lightweight (Alternate - 4" Two Qtr.)</p>	<p><b>8 in.</b> Two Qtr. / Half Block</p>  <p>080002 Concrete 080202 Lightweight</p>	<p><b>8 in.</b> Three Quarter</p>  <p>080003 Concrete 080203 Lightweight (Alternate - 12" Two Qtr.)</p>
<p><b>8 in.</b> 5 High (Starter)</p>  <p>080006 Concrete 080206 Lightweight</p>	<p><b>8 in.</b> Half High</p>  <p>080008 Concrete 080208 Lightweight (Available as Double Flush Jamb/sash and 2Sash)</p>	<p><b>8 in.</b> Bay Block** (45° Corner)</p>  <p>080012 Concrete 080212 Lightweight</p>	<p><b>8 in.</b> Flow Through Bond Beam (2 Holes)</p>  <p>080014 Concrete 080214 Lightweight</p>
<p><b>8 in.</b> Bond Beam</p>  <p>080015 Concrete 080215 Lightweight (8" Half-High Bond Beam Available)</p>	<p><b>8 in.</b> Flow Through Bond Beam (1 Hole)</p>  <p>080016 Concrete</p>	<p><b>8 in.</b> Knockout Bond Beam (Flow Through)</p>  <p>080017 Concrete 080217 Lightweight</p>	<p><b>8 in.</b> Lintel (Horsecollar)</p>  <p>080018 Concrete 080218 Lightweight</p>
<p><b>8 in.</b> FHA*** Special Knockout Bond Beam</p>  <p>080019 Concrete</p>	<p><b>8 in.</b> Utility Knockout</p>  <p>080020 Concrete 080220 Lightweight</p>	<p><b>8 in.</b> Jamb Sash</p>  <p>080025 Concrete 080225 Lightweight</p>	<p><b>8 in.</b> Double Flush**</p>  <p>080027 Concrete 080227 Lightweight</p>

\*\*\* FHA = Federal Housing Authority Approved

Note: Not all block immediately available at all County Materials locations.  
\*\* Full 8" high units available in select markets. Contact your sales representative.  
All dimensions nominal.

# Standard Masonry Sizes: 8"

## SHAPES AND SIZES

<p><b>8 in.</b> 2 Hour</p>  <p>080040 Concrete (2 Hr.)</p>	<p><b>8 in.</b> 75% Solid</p>  <p>080045 Concrete (3 Hr.) 080250 Lightweight (4 Hr.)</p>	<p><b>8 in.</b> Solid /4 Hour</p>  <p>080055 Concrete (4 Hr.) 080254 Lightweight</p>	
<p><b>8 in.</b> Open Cell</p>  <p>080400 Concrete Used for alignment of cores for rebar and grouting. Notches on the webs are available for rebar.</p>	<p><b>8 in.</b> Single Bullnose*</p>  <p>084001 Concrete 084201 Lightweight</p>	<p><b>8 in.</b> Two Qtr./Half Block Single Bullnose*</p>  <p>084006 Concrete 084206 Lightweight</p>	<p><b>8 in.</b> Double Bullnose* End</p>  <p>084010 Concrete 084210 Lightweight</p>
<p><b>8 in.</b> Double Bullnose* Face</p>  <p>084012 Concrete 084212 Lightweight</p>	<p><b>8 in.</b> Two Qtr./Half Block Double Bullnose*</p>  <p>084016 Concrete 084216 Lightweight</p>		

**Note: Not all block immediately available at all County Materials locations.**

**\* All Bullnose have 1" radius.**














**\*\* Full 8" high units available in select markets. Contact your sales representative.**

**2 Hr., 3 Hr. and 4 Hr. refer to the unit's Fire Rating.**

**All dimensions nominal.**

# Standard Masonry Sizes: 10"

## SHAPES AND SIZES

<p><b>10 in. Stretcher**</b></p>  <p>100000 Concrete 100200 Lightweight</p>	<p><b>10 in. One Quarter</b></p>  <p>100001 Concrete 100201 Lightweight</p>	<p><b>10 in. Two Qtr. / Half Block</b></p>  <p>100002 Concrete 100202 Lightweight</p>	<p><b>10 in. Three Quarter</b></p>  <p>100003 Concrete 100203 Lightweight</p>
<p><b>10 in. 5" High (Starter)</b></p>  <p>100006 Concrete 100206 Lightweight</p>	<p><b>10 in. Half High</b></p>  <p>100008 Concrete 100208 Lightweight (Available as Double Flush Jamb/sash and 2Sash)</p>	<p><b>10 in. L-Corner (Offset)**</b></p>  <p>100010 Concrete 100210 Lightweight</p>	<p><b>10 in. Double Flush**</b></p>  <p>100027 Concrete 100227 Lightweight</p>
<p><b>10 in. Bond Beam</b></p>  <p>100015 Concrete 100215 Lightweight (10" Half-High Bond Beam Available)</p>	<p><b>10 in. Knockout Bond Beam Flow Through</b></p>  <p>100017 Concrete</p>	<p><b>10 in. FHA' Special Knockout Bond Beam</b></p>  <p>100019 Concrete</p>	<p><b>10 in. Utility Knockout</b></p>  <p>100020 Concrete 100220 Lightweight</p>
<p><b>10 in. Jamb Sash</b></p>  <p>100025 Concrete 100225 Lightweight</p>			


FHA = Federal Housing Authority Approved

Note: Not all block immediately available at all County Materials locations.  
\*\* Full 8" high units available in select markets. Contact your sales representative.  
All dimensions nominal.

# Standard Masonry Sizes: 10"


## SHAPES AND SIZES

**10 in.** Single Bullnose\*




104001 Concrete  
104201 Lightweight

**10 in.** Two Qtr. / Half Block Single Bullnose\*




104006 Concrete  
104206 Lightweight

**10 in.** Double Bullnose\* End




104010 Concrete  
104210 Lightweight

**10 in.** Double Bullnose\* Face



104012 Concrete

**10 in.** Two Qtr. / Half Block Double Bullnose\*



104016 Concrete  
104216 Lightweight

**Note: Not all block immediately available at all County Materials locations.**
















**\*All Bullnose have 1" radius.**

**\*\* Full 8" high units available in select markets. Contact your sales representative.**

**All dimensions nominal.**

# Standard Masonry Sizes: 12"

## SHAPES AND SIZES










<p><b>12 in. Stretcher**</b></p>  <p>120000 Concrete (2 Hr.) 120000M Med.weight (3 Hr.) 120200 Lightweight (4 Hr.)</p>	<p><b>12 in. One Quarter</b></p>  <p>120001 Concrete 120201 Lightweight (Alternate - 4" Three Qtr.)</p>	<p><b>12 in. Two Qtr. / Half Block</b></p>  <p>120002 Concrete 120202 Lightweight</p>	<p><b>12 in. Two Qtr. / Half Block Double Flush</b></p>  <p>120004 Concrete 120204 Lightweight</p>
<p><b>12 in. Three Quarter</b></p>  <p>120003 Concrete 120203 Lightweight</p>	<p><b>12 in. 5 High (Starter)</b></p>  <p>120006 Concrete 120206 Lightweight</p>	<p><b>12 in. Half High</b></p>  <p>120008 Concrete 120208 Lightweight (Available as Double Flush Jamb/sash and 2Sash)</p>	<p><b>12 in. L-Corner (Offset)**</b></p>  <p>120010 Concrete 120210 Lightweight</p>
<p><b>12 in. 45° Mitered Corner</b></p>  <p><b>Special Order Required</b></p>	<p><b>12 in. Bond Beam</b></p>  <p>120015 Concrete 120215 Lightweight (12" Half-High Bond Beam Available)</p>	<p><b>12 in. Flow Through Bond Beam</b></p>  <p>120016 Concrete</p>	<p><b>12 in. Knockout Bond Beam Flow Through</b></p>  <p>120017 Concrete 120217 Lightweight</p>
<p><b>12 in. Lintel (Horsecollar)</b></p>  <p>120018 Concrete 120218 Lightweight</p>	<p><b>12 in. Utility Knockout</b></p>  <p>120020 Concrete 120220 Lightweight</p>	<p><b>12 in. Jamb One Sash</b></p>  <p>120025 Concrete 120225 Lightweight</p>	

\*\*\* FHA = Federal Housing Authority Approved

**Note: Not all block immediately available at all County Materials locations.  
\*\* Full 8" high units available in select markets. Contact your sales representative.  
All dimensions nominal.**

# Standard Masonry Sizes: 12"

## SHAPES AND SIZES

<p><b>12 in.</b> Double Flush**</p>  <p>120027 Concrete 120227 Lightweight</p>	<p><b>12 in.</b> Fire Rated Block - 4 Hr.</p>  <p>120050 Concrete (4 Hr.) 12" (3) hour available at some locations</p>	<p><b>12 in.</b> Bay Block (45° Corner)</p>  <p>120012 Concrete</p>	<p><b>12 in.</b> Single Bullnose*</p>  <p>124001 Concrete 124201 Lightweight</p>
<p><b>12 in.</b> Two Qtr. / Half Block Single Bullnose*</p>  <p>124006 Concrete 124206 Lightweight</p>	<p><b>12 in.</b> Double Bullnose* End</p>  <p>124010 Concrete 124210 Lightweight</p>	<p><b>12 in.</b> Double Bullnose* Face</p>  <p>124012 Concrete 124212 Lightweight</p>	<p><b>12 in.</b> Two Qtr. / Half Block Double Bullnose*</p>  <p>124016 Concrete 124216 Lightweight</p>
<p><b>12 in.</b> Open Cell</p>  <p>Special Order Used for alignment of cores for rebar and grouting. Notches on the webs are available for rebar.</p>			

**Note: Not all block immediately available at all County Materials locations.**

**\*All Bullnose have 1" radius.**










**\*\* Full 8" high units available in select markets. Contact your sales representative.**

**All dimensions nominal.**



# Standard Masonry Sizes: 14" and 16"

## SHAPES AND SIZES

<p><b>14 in. Stretcher</b></p>  <p>140000 Concrete (62 lbs.) 140200 Lightweight</p>	<p><b>14 in. Bond Beam</b></p>  <p>140015 Concrete (81 lbs.) 140215 Lightweight</p>	<p><b>14 in. Knockout Bond Beam Flow Through</b></p>  <p>140017 Concrete</p>	<p><b>14 in. Jamb Sash Splitable</b></p>  <p>140025 Concrete</p>
<p><b>14 in. Double Flush</b></p>  <p>140027 Concrete 140226 Lightweight</p>			
<p><b>16 in. Stretcher</b></p>  <p>160000 Concrete (69 lbs.) 160200 Lightweight</p>	<p><b>16 in. Bond Beam</b></p>  <p>160015 Concrete 160215 Lightweight</p>	<p><b>16 in. Knockout Bond Beam Flow Through</b></p>  <p>160017 Concrete</p>	<p><b>16 in. Pier Block</b></p>  <p>160086 Concrete</p>

**Note: Not all block immediately available at all County Materials locations. All dimensions nominal.**